

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,950,813 B2  
APPLICATION NO. : 09/840286  
DATED : September 27, 2005  
INVENTOR(S) : Narayan Srinivasa

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 5, line 16, " $\mu^*$ " should read  $-\mu-$ .

At column 5, line 17, "updated mean a" should read --updated mean  $\sigma$ --.

At column 6, line 43, "fizzy" should read --fuzzy--.

At column 9, line 45, the equation " $\alpha^{(1)}=f$ " should read  $-\alpha^{(1)}=f-$  (The equal sign should not be superscripted).

At column 10, line 65, " $w_i^{(5)}$ 's" should read  $-\dot{w}_i^{(5)}s-$  (The apostrophe should be a prime symbol).

At column 11, line 66, the number " $0.68_{20}$ " should read  $-\dot{0.68}^{20}-$ .

At column 13, line 50, " $\sigma_{omot}$ " should read  $-\sigma_{init}-$ .

Signed and Sealed this

Sixth Day of May, 2008



JON W. DUDAS  
*Director of the United States Patent and Trademark Office*